



TRUPER® MUT-105

APO  
0.445  
kΩ

AUTO POWER OFF

SELECT/HOLD/\*

NPN PNP E B C E

Ω 20M 200K 20K 2K 200 200m A~ 20 200m 200 750 1000 Hz V~ 200mF OFF hFE Hz DUTY 4CYL 6CYL 8CYL 8CYL 6CYL 4CYL 200m 20 200 750 1000 Hz V~

TRUE

20A

10mA FUSED

MA 30V 1V



TRUPER MUT-105

APD  
0.453  
kΩ

AUTO POWER OFF

SELECT/HOLD/⌘ NPN PNP EBC E  
F OFF hFE Hz DUTY  
Ω 20M 2M 200K 20K 2K 200 200m  
°C/°F TEMP 200m 20  
A~ 20 200m 200 750 1000 V~  
TRUE RMS  
mA



TRUPER MUT-105

AP0  
0487  
kΩ

AUTO POWER OFF

SELECT/HOLD/⌘ NPN PNP EBC E  
F OFF hFE Hz DUTY  
20mF 20M 200K 20K 2K 200  
Ω 200m °C/F TEMP 200m 20 200  
A- 20 200m 200 750 1000 V=  
A= Hz V-

TRUE RMS

mA COM

20A



TRUPER MUT-105

APO  
04.12  
kΩ

AUTO POWER OFF

SELECT/HOLD/⌘

NPN PNP E B C E

Ω 2M 200K 20K 2K 200  
20M 20mF OFF hFE Hz DUTY 4CYL 6CYL 8CYL  
°C/°F TEMP 200m 20 200m 200 750 1000 V~  
A~ 20 200m 200 Hz V~

TRUE RMS

mA COM

