

Informe de ensayo

Repairs: 2694

Tester:

Tel:

Fax:

Address:

Repairer:

Customer:

Tel:

Fax:

Address:

Tiempo:: 09.02.2024 20:39

PN: : 0445110919

Fabricantes:: Bosch

Marca:: SN

Electricidad: 235 μ H

Nuevo Código:: 703PAEI

Escalones	P_órbita	PW	Q_ref	Q_Real	BIP	Evaluación
	(Mpa)	(μ S)	(mm3/H)	(mm3/H)	(μ S)	
LEAK	155.0	0	40.0 \pm 40.0(R)	1.7	0	✓
VL	145.0	800	50.0 \pm 8.0	41.6	0	✓
VL(R)	145.0	800	30.0 \pm 25.0(R)	16.1	0	✓
EM	60.0	630	11.0 \pm 4.8	11.8	0	✓
LL	30.0	690	4.5 \pm 3.5	7.0	0	✓
VE	60.0	290	1.6 \pm 1.2	1.7	0	✓
VE(R)	60.0	290	5.0 \pm 2.0(R)	4.6	0	✓
VE 2	120.0	255	3.0 \pm 2.7	2.1	0	✓

Informe de ensayo

Repairs: 2686

Tel:

Address:

Tester:

Fax:

Repairer:

Tel:

Address:

Customer:

Fax:

Tiempo:: 09.02.2024 20:45

PN: : 0445110919

Marca:: SN

Nuevo Código:: 8FLPASK

Fabricantes:: Bosch

Electricidad: 235 μ H

Escalones	P_órbita (Mpa)	PW (μ S)	Q_ref (mm ³ /H)	Q_Real (mm ³ /H)	BIP (μ S)	Evaluación
LEAK	155.0	0	40.0 \pm 40.0(R)	1.8	0	✓
VL	145.0	800	50.0 \pm 8.0	44.9	0	✓
VL(R)	145.0	800	30.0 \pm 25.0(R)	14.7	0	✓
EM	60.0	630	11.0 \pm 4.8	11.5	0	✓
LL	30.0	690	4.5 \pm 3.5	5.7	0	✓
VE	60.0	290	1.6 \pm 1.2	1.6	0	✓
VE(R)	60.0	290	5.0 \pm 2.0(R)	5.0	0	✓
VE 2	120.0	255	3.0 \pm 2.7	2.1	0	✓

Informe de ensayo

Repairs: 2683
Tel:
Address:

Tester:
Fax:

Repairer:
Tel:
Address:

Customer:
Fax:

Tiempo:: 09.02.2024 20:53

PN: : 0445110919
Marca:: SN
Nuevo Código:: 403R7AF

Fabricantes:: Bosch
Electricidad: 235 μ H

Escalones	P_órbita (Mpa)	PW (μ S)	Q_ref (mm ³ /H)	Q_Real (mm ³ /H)	BIP (μ S)	Evaluación
LEAK	155.0	0	40.0 \pm 40.0(R)	5.1	0	✓
VL	145.0	800	50.0 \pm 8.0	45.6	562	✓
VL(R)	145.0	800	30.0 \pm 25.0(R)	13.9	454	✓
EM	60.0	630	11.0 \pm 4.8	13.0	0	✓
LL	30.0	690	4.5 \pm 3.5	6.2	0	✓
VE	60.0	290	1.6 \pm 1.2	1.8	0	✓
VE(R)	60.0	290	5.0 \pm 2.0(R)	3.9	0	✓
VE 2	120.0	255	3.0 \pm 2.7	2.4	0	✓

Informe de ensayo

Repairs: 2676

Tel:

Address:

Tester:

Fax:

Repairer:

Tel:

Address:

Customer:

Fax:

Tiempo:: 09.02.2024 21:04

PN: : 0445110919

Marca:: SN

Nuevo Código:: 803R6EO

Fabricantes:: Bosch

Electricidad: 232 μ H

Escalones	P_órbita (Mpa)	PW (μ S)	Q_ref (mm ³ /H)	Q_Real (mm ³ /H)	BIP (μ S)	Evaluación
LEAK	155.0	0	40.0 \pm 40.0(R)	2.6	0	✓
VL	145.0	800	50.0 \pm 8.0	43.8	0	✓
VL(R)	145.0	800	30.0 \pm 25.0(R)	14.8	0	✓
EM	60.0	630	11.0 \pm 4.8	11.3	0	✓
LL	30.0	690	4.5 \pm 3.5	6.9	0	✓
VE	60.0	290	1.6 \pm 1.2	1.9	0	✓
VE(R)	60.0	290	5.0 \pm 2.0(R)	4.3	0	✓
VE 2	120.0	255	3.0 \pm 2.7	1.7	0	✓